



Drill

Hammer Drills	A.324-A325
Step Drills	A.326
Cone Cut	A.326

DRILL

ดอกสว่านเจาะคอนกรีต

>> SDS-PLUS HAMMER DRILLS



Range of application:

The SDS-plus hammer drill F4 with its patented 4X stepped profile and patented tip. Low wear, very long service life. High efficiency drill for heavy-duty drilling in concrete, reinforced concrete, natural stone and brickwork.

EFFICIENT


thanks to state-of-the-art vacuum hardening

ROBUST

thanks to high-strength tungsten-carbide tip

PRECISE

thanks to excellent centering properties



Surface: GM-finish



Plastic wallet

► Length : 110/50 mm

Ø mm	l1 mm	l2 mm	Code 807 Art.-Nr.
4,00	110	50	807004001
5,00	110	50	807005001
5,50	110	50	807005501
6,00	110	50	807006001
6,50	110	50	807006501
7,00	110	50	807007001
8,00	110	50	807008001
10,00	110	50	807010001

► Length : 160/100 mm

Ø mm	l1 mm	l2 mm	Code 817 Art.-Nr.
4,00	160	100	817004001
5,00	160	100	817005001
5,50	160	100	817005501
6,00	160	100	817006001
6,50	160	100	817006501
7,00	160	100	817007001
8,00	160	100	817008001
9,00	160	100	817009001
9,50	160	100	817009501
10,00	160	100	817010001
11,00	160	100	817011001
12,00	160	100	817012001
13,00	160	100	817013001
14,00	160	100	817014001
15,00	160	100	817015001
16,00	160	100	817016001



Drilling machine



Brick



Reinforced concrete



Concrete



Natural stone



Seal of approval : Testing Association for Masonry Drills

>> SDS-PLUS HAMMER DRILLS



▶ Length : 210/150 mm

Plastic wallet			
∅ mm	l1 mm	l2 mm	Code 827 Art.-Nr.
5,00	210	150	827005001
5,50	210	150	827005501
6,00	210	150	827006001
6,50	210	150	827006501
7,00	210	150	827007001
8,00	210	150	827008001
9,00	210	150	827009001
10,00	210	150	827010001
12,00	210	150	827012001
14,00	210	150	827014001
15,00	210	150	827015001
16,00	210	150	827016001
18,00	210	150	827018001
19,00	210	150	827019001
20,00	210	150	827020001

▶ Length : 260/200 mm

∅ mm	l1 mm	l2 mm	Code 837 Art.-Nr.
5,50	260	200	837005501
6,00	260	200	837006001
6,50	260	200	837006501
7,00	260	200	837007001
8,00	260	200	837008001
9,50	260	200	837009501
10,00	260	200	837010001
11,00	260	200	837011001
12,00	260	200	837012001
13,00	260	200	837013001
14,00	260	200	837014001
15,00	260	200	837015001
16,00	260	200	837016001
18,00	260	200	837018001
20,00	260	200	837020001
22,00	260	200	837022001
24,00	260	200	837024001
25,00	260	200	837025001
26,00	260	200	837026001

▶ Length : 310/250 mm

Plastic wallet			
∅ mm	l1 mm	l2 mm	Code 847 Art.-Nr.
5,50	310	250	847005501
6,00	310	250	847006001
6,50	310	250	847006501
7,00	310	250	847007001
8,00	310	250	847008001
10,00	310	250	847010001
12,00	310	250	847012001
13,00	310	250	847013001
14,00	310	250	847014001
16,00	310	250	847016001
18,00	310	250	847018001
19,00	310	250	847019001
20,00	310	250	847020001
22,00	310	250	847022001
24,00	310	250	847024001
25,00	310	250	847025001

▶ Length : 450/400 mm

∅ mm	l1 mm	l2 mm	Code 877 Art.-Nr.
5,50	450	400	877005501
6,00	450	400	877006001
6,50	450	400	877006501
8,00	450	400	877008001
10,00	450	400	877010001
12,00	450	400	877012001
13,00	450	400	877013001
14,00	450	400	877014001
15,00	450	400	877015001
16,00	450	400	877016001
18,00	450	400	877018001
19,00	450	400	877019001
20,00	450	400	877020001
22,00	450	400	877022001
24,00	450	400	877024001
25,00	450	400	877025001
26,00	450	400	877026001

▶ Length : 600/550 mm

∅ mm	l1 mm	l2 mm	Code 887 Art.-Nr.
10,00	600	550	887010001
12,00	600	550	887012001
14,00	600	550	887014001
16,00	600	550	887016001
18,00	600	550	887018001
20,00	600	550	887020001
24,00	600	550	887024001
25,00	600	550	887025001

▶ Length : 800/740 mm

Plastic wallet			
∅ mm	l1 mm	l2 mm	Code 913 Art.-Nr.
12,00	800	740	913012001
16,00	800	740	913016001
20,00	800	740	913020001

▶ Length : 1000/950 mm

∅ mm	l1 mm	l2 mm	Code 914 Art.-Nr.
10,00	1000	950	914010001
12,00	1000	950	914012001
14,00	1000	950	914014001
16,00	1000	950	914016001
18,00	1000	950	914018001
20,00	1000	950	914020001
25,00	1000	5	914025001

Hammer Drill
Step Drills
Cone Cut

>> STEP DRILL

Range of application:



Multiple step and countersink tool for drilling and countersinking in one smooth operation. Suitable for materials with a maximum thickness of 4–6 mm, dependent on hardness.

LONGER LASTING

thanks to cobalt HSS

PRECISE

thanks to state-of-the-art grinding process



			Single packing with tag		
Size Diametri	d1–d2 mm	d3 mm	Code 722 Art.-Nr.	Code 726 Art.-Nr.	Code 728 Art.-Nr.
			HSS	HSS-ECO	HSS-ECO TiN
1	4,00–12,00 (1 mm INCREMENT)	6	722004121	726004121	
2	4,00–20,00 (2 mm INCREMENT)	8	722012201	726006201	
3	6,00–30,00 (2 mm INCREMENT)	10	722006301	726006301	728006301

>> CONECUT

Range of application:


For drilling large-diameter holes in thin material or for expanding pre-cut holes. For drilling without burr or chatter marks and widening holes (without PILOTING) in non-rusting sheet and soft materials. Suitable for hand-held and upright drilling machines.

LONGER LASTING

thanks to cobalt HSS

PRECISE

thanks to state-of-the-art grinding process



			Single packing with tag		
Size Diametri	d1–d2 mm	d3 mm	Code 721 Art.-Nr.	Code 723 Art.-Nr.	Code 725 Art.-Nr.
			HSS	HSS-ECO	HSS-ECO TiN
1	3,50–14,00	6	721003141	723003141	725003141
2	6,00–20,00	8	721008201	723006201	725006201
3	16,00–30,00	10	721016301	723016301	725016301
4	24,00–40,00	12	721026401		
5	36,00–50,00	13	721036501		
6	40,00–61,00	13	721040611		
L	6,00–30,00	10	721004301		
2A	3,00–22,00	8	721005221		
2A	5,00–25,00	8	072025001		

⁽¹⁾ Code 725 TiN-coated