

NON-SPARKING SOCKET WRENCH 3/4"



Non-sparking tools **EGA Master** They are the best alternative for applications in potentially explosive environments, providing safety to the user.

both in mm as in inches



1. Available different measures both in mm and inches, 6 and 12 edges.

2. With a hardness of 311-408 Brinell (Cu-Be) and 241-311 Brinell (Al-Bron).

3/4"

STANDARD MM

6 PT.



12 PT.



COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
74649		74653		17			
75724		75725		18	50		200
74650		74654		19			
74651		74655		21			
74652		74656		22			250
70345		71220		24			
71908		72953		26	55		280
70346		71221		27			
75726		75727		28			310
75728		75729		29			320
70347		71222		30			370
75730		75731		31			380
70348		71223		32			410
77792	Cu-Be	77793	Al-Bron	33		6	
74863		74864		34	60		
77794		77795		35			440
70349		71224		36			460
77796		77797		37			470
74865		74866		38			500
70350		71225		41			650
77798		77799		42	65		
70351		71226		46			700
77800		77801		47			750
70352		71227		50			850
77802		77803		52	70		
77804		77805		55			950
77806		77807		60			1100

COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
75734		75735		17			
75736		75737		18	50		200
75738		75739		19			
75740		75741		21			
75742		75743		22			250
74538		74547		24			
74539		74548		26	55		280
74540		74549		27			
75744		75745		28			310
75746		75747		29			320
74541		74550		30			370
75748		75749		31			380
74542		74551		32			410
77810	Cu-Be	77811	Al-Bron	33		12	
75750		75751		34	60		
77812		77813		35			440
74543		74552		36			460
77814		77815		37			470
75752		75753		38			500
74544		74553		41			650
77816		77817		42	65		
74545		74554		46			700
77818		77819		47			750
74546		74555		50			850
77820		77821		52	70		
77822		77823		55			950
77824		77825		60			1100

Cu-Be Beryllium copper
Al-Bron Aluminum bronze

3/4"

STANDARD INCH

■ 6 PT.



■ 12 PT.



COD.	MAT.	COD.	MAT.		L (mm)	Pt	
74786		74787		3/4	50		220
75732		75733		13/16			240
74788		74789		7/8			
74790		74791		15/16	55		
74792		74793		1		280	
74802		74803		1.1/16			
74804		74805		1.1/8		310	
35846		35847		1.5/32		360	
74867		74868		1.3/16			
35848		35849		1.7/32		400	
74869		74870		1.1/4			
71228	Cu-Be	71239	Al-Bron	1.5/16	60	6	430
71229		71240		1.3/8			470
71230		71241		1.7/16			480
71231		71242		1.1/2			550
71232		71243		1.9/16			650
71233		71244		1.5/8			
71234		71245		1.11/16			
71235		71246		1.3/4	65	700	
71236		71247		1.13/16			
71237		71248		1.7/8			
77808		77809		1.15/16		800	
71238		71249		2	70	850	

COD.	MAT.	COD.	MAT.		L (mm)	Pt	
75754		75755		3/4	50		220
75756		75757		13/16			240
75758		75759		7/8			
75760		75761		15/16	55		
75762		75763		1		280	
75764		75765		1.1/16			
75766		75767		1.1/8		310	
35856		35857		1.5/32		360	
75768		75769		1.3/16			
35858		35859		1.7/32		400	
75770		75771		1.1/4			
74556	Cu-Be	74567	Al-Bron	1.5/16	60	12	430
74557		74568		1.3/8			470
74558		74569		1.7/16			480
74559		74570		1.1/2			550
74560		74571		1.9/16			650
74561		74572		1.5/8			
74562		74573		1.11/16			
74563		74574		1.3/4	65	700	
74564		74575		1.13/16			
74565		74576		1.7/8			
77826		77827		1.15/16		800	
74566		74577		2	70	850	

3/4" MM LONG SOCKETS

6 PT.



12 PT.



COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
35180		35181		17			
35182		35183		18			
35184		35185		19			
36340		36341		20		500	
35186		35187		21			
35188		35189		22			
35190		35191		24		550	
35192		35193		26			
35194		35195		27			
35196		35197		28		600	
35198		35199		29			
35200		35201		30			
35202		35203		31	90		
35204		70484		32			
35206		35207		33		650	
35208		35209		34			
35210		35211		35			
76775	Cu-Be	70485	Al-Bron	36		700	
35212		35213		37		750	
35214		35215		38		800	
36995		37009		39		850	
36996		37010		40		900	
35216		35217		41			
35218		35219		42		950	
36997		37011		43		1000	
36998		37012		44		1100	
36999		37013		45		1150	
35220		35221		46		1200	
35222		35223		47			
37000		37014		48			
37001		37015		49	100	1250	
35224		35225		50			
35226		35227		52			
35228		35229		55		1300	
35230		35231		60		1400	

COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
35274		35275		17			
35276		35277		18			
35278		35279		19			
36342		36343		20		500	
35280		35281		21			
35282		35283		22			
35284		35285		24		550	
35286		35287		26			
35288		35289		27			
35290		35291		28		600	
35292		35293		29			
35294		35295		30			
35296		35297		31	90		
35298		35299		32			
35300		35301		33		650	
35302		35303		34			
35304		35305		35			
35306	Cu-Be	35307	Al-Bron	36		700	
35308		35309		37		750	
35310		35311		38		800	
37002		37016		39		850	
37003		37017		40		900	
35312		35313		41			
35314		35315		42		950	
37004		37018		43		1000	
37005		37019		44		1100	
37006		37020		45		1150	
35316		35317		46		1200	
35318		35319		47			
37007		37021		48			
37008		37022		49	100	1250	
35320		35321		50			
35322		35323		52			
35324		35325		55		1300	
35326		35327		60		1400	

3/4" INCH LONG SOCKETS

6 PT.



12 PT.



COD.	MAT.	COD.	MAT.	AF inch	L (mm)	Pt	g
35232	Cu-Be	35233	Al-Bron	3/4	90	6	500
35234		35235		13/16			
35236		35237		7/8			
35238		35239		15/16			
35240		35241		1			
35242		35243		1.1/16			
35244		35245		1.1/8			
35246		35247		1.3/16			
35248		35249		1.1/4			
35250		35251		1.5/16			
35252		35253		1.3/8	100	6	650
35254		35255		1.7/16			
35256		35257		1.1/2			
35258		35259		1.9/16			
35260		35261		1.5/8			
35262		35263		1.11/16			
35264		35265		1.3/4			
35266		35267		1.13/16			
35268		35269		1.7/8			
35270		35271		1.15/16			
35272		35273		2			

COD.	MAT.	COD.	MAT.	AF inch	L (mm)	Pt	g
35328	Cu-Be	35329	Al-Bron	3/4	90	12	500
35330		35331		13/16			
35332		35333		7/8			
35334		35335		15/16			
35336		35337		1			
35338		35339		1.1/16			
35340		35341		1.1/8			
35342		35343		1.3/16			
35344		35345		1.1/4			
35346		35347		1.5/16			
35348		35349		1.3/8	100	12	650
35350		35351		1.7/16			
35352		35353		1.1/2			
35354		35355		1.9/16			
35356		35357		1.5/8			
35358		35359		1.11/16			
35360		35361		1.3/4			
35362		35363		1.13/16			
35364		35365		1.7/8			
35366		35367		1.15/16			
35368		35369		2			

MALE-FEMALE RATCHET

COD.	MAT.	COD.	MAT.	AF inch	L (mm)	g
73726	Cu-Be	73727	Al-Bron	3/4	300	1000




REVERSIBLE RATCHET WRENCH

COD.	MAT.	COD.	MAT.	AF inch	L (mm)	g
70376	Cu-Be	71273	Al-Bron	3/4	390	1400



RATCHET HEAD



COD.	MAT.	COD.	MAT.	AF inch	L (mm)	O.D. mm	g
73712	Cu-Be	73713	Al-Bron	3/4	160	21	1500



SLIDING "T" HANDLE

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (mm)	g
70380	Cu-Be	71276	Al-Bron	3/4	250	900
70381		71277			460	1700



LONG SLIDING "T" HANDLE

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (mm)	H (mm)	g
73717	Cu-Be	73718	Al-Bron	3/4	350	190	1500



SWIVEL HANDLE

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (mm)	g
72406	Cu-Be	72407	Al-Bron	3/4	290	600



OFFSET HANDLE

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (mm)	g
72412	Cu-Be	72413	Al-Bron	3/4	280	700



EXTENSION

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (inch)	g
70386	Cu-Be	71282	Al-Bron	3/4	4	200
70387		71283			8	400
70388		71284			10	500
75487		75488			16	1590



UNIVERSAL JOINT

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (mm)	g
70373	Cu-Be	71270	Al-Bron	3/4	135	600



FLEXIBLE JOINT

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch	L (mm)	I.D. mm	g
72396	Cu-Be	72397	Al-Bron	3/4	120	21	800



ADAPTER

COD.	MAT.	COD.	MAT.	AF $\frac{1}{4}$ inch AF $\frac{1}{4}$ inch	g
70368	Cu-Be	71265	Al-Bron	3/4-1/2	200
70371		71268		3/4-1	410



SETS 14 PCS.

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74275	Cu-Be	3/4	14	75740, 74538, 74540, 74541, 74542, 75750, 74543, 75752, 74544, 74545, 74546	21-24-27-30-32-34-36-38-41-46-50	-	8,5

PCS.	Composition	Description	
11	75740, 74538, 74540, 74541, 74542, 75750, 74543, 75752, 74544, 74545, 74546	Socket wrenches	21-24-27-30-32-34-36-38-41-46-50
	70387	Extension	200 mm
1	72416	Sliding T-handle	400 mm
	70376	Ratchet	320 mm

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
35816	Cu-Be	3/4	14	75756, 75760, 75764, 75768, 75770, 74557, 74558, 74559, 74561, 74564, 74566	-	13/16"-15/16"-1-1/16"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	8,5

PCS.	Composition	Description	
11	75756, 75760, 75764, 75768, 75770, 74557, 74558, 74559, 74561, 74564, 74566	Socket wrenches	13/16"-15/16"-1-1/16"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"
	70387	Extension	200 mm
1	72416	Sliding T-handle	400 mm
	70376	Ratchet	320 mm

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74276	Al-Bron	3/4	14	75741, 74547, 74549, 74550, 74551, 75751, 74552, 75753, 74553, 74554, 74555	21-24-27-30-32-34-36-38-41-46-50	-	8,5

PCS.	Composition	Description	
11	75741, 74547, 74549, 74550, 74551, 75751, 74552, 75753, 74553, 74554, 74555	Socket wrenches	21-24-27-30-32-34-36-38-41-46-50
	71283	Extension	200 mm
1	72417	Sliding T-handle	400 mm
	70376	Ratchet	320 mm

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
35825	Al-Bron	3/4	14	75757, 75761, 75765, 75769, 75771, 74568, 74569, 74570, 74572, 74575, 74577	-	13/16"-15/16"-1-1/16"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	8,5

PCS.	Composition	Description	
11	75757, 75761, 75765, 75769, 75771, 74568, 74569, 74570, 74572, 74575, 74577	Socket wrenches	13/16"-15/16"-1-1/16"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"
	71283	Extension	200 mm
1	72417	Sliding T-handle	400 mm
	70376	Ratchet	320 mm



SETS 20 PCS.

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74277	Cu-Be	3/4	20	75740, 75742, 74538, 74539, 74540, 75744, 75746, 74541, 75748, 74542, 75750, 74543, 75752, 74544, 74545, 74546	21-22-23-24-26-27-28-29-30-31-32-34-36-38-41-46-50	-	8,5

PCS.	Composition	Description
16	75740, 75742, 74538, 74539, 74540, 75744, 75746, 74541, 75748, 74542, 75750, 74543, 75752, 74544, 74545, 74546	Socket wrenches 21-22-23-24-26-27-28-29-30-31-32-34-36-38-41-46-50
2	70387	Extension 200 mm
1	72416	Sliding T-handle 400 mm
	70376	Ratchet 320 mm

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
35817	Cu-Be	3/4	20	75754, 75756, 75758, 75760, 75762, 75764, 75766, 35856, 75768, 35858, 75770, 74557, 74558, 74559, 74561, 74564, 74566	3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.5/32"-1.3/16"-1.7/32"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	-	8,5

PCS.	Composition	Description
16	75754, 75756, 75758, 75760, 75762, 75764, 75766, 35856, 75768, 35858, 75770, 74557, 74558, 74559, 74561, 74564, 74566	Socket wrenches 3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.5/32"-1.3/16"-1.7/32"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"
2	70387	Extension 200 mm
1	72416	Sliding T-handle 400 mm
	70376	Ratchet 320 mm

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
74278	Al-Bron	3/4	20	75741, 75743, 74547, 74548, 74549, 75745, 75747, 74550, 75749, 74551, 75751, 74552, 75753, 74553, 74554, 74555	21-22-23-24-26-27-28-29-30-31-32-34-36-38-41-46-50	-	8,5

PCS.	Composition	Description
16	75741, 75743, 74547, 74548, 74549, 75745, 75747, 74550, 75749, 74551, 75751, 74552, 75753, 74553, 74554, 74555	Socket wrenches 21-22-23-24-26-27-28-29-30-31-32-34-36-38-41-46-50
2	71283	Extension 200 mm
1	72417	Sliding T-handle 400 mm
	70376	Carraca 320 mm

COD.	MAT.	AF inch	PCS.	COD. PCS.	AF mm	AF inch	Kg
35826	Al-Bron	3/4	20	75755, 75757, 75759, 75761, 75763, 75765, 75767, 35857, 75769, 35859, 75771, 74568, 74569, 74570, 74572, 74575, 74577	3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.5/32"-1.3/16"-1.7/32"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"	-	8,5

PCS.	Composition	Description
16	75755, 75757, 75759, 75761, 75763, 75765, 75767, 35857, 75769, 35859, 75771, 74568, 74569, 74570, 74572, 74575, 74577	Socket wrenches 3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.5/32"-1.3/16"-1.7/32"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"
2	71283	Extension 200 mm
1	72417	Sliding T-handle 400 mm
	70376	Ratchet 320 mm



TECHNICAL CHARACTERISTICS	
MATERIAL	Cu-Be (Cobre-Berilio) o Al-Bron (Aluminium-Bronze)
HARDNESS	Cu-Be: 311-408 Brinell
	Al-Bron: 241-311 Brinell