

NON-SPARKING SOCKET WRENCHES 1"

EGA Master non sparking tools are the best choice for use in potentially explosive environments, providing the highest level of security for users.

Available in both
mm and inch



1. EGA Master non sparking socket wrenches are available in a wide range of sizes, in both metric and inch, and also with a choice of 6 or 12 points.

2. Its hardness is of 311-408 Brinell (Cu-Be) and 241-311 Brinell (Al-Bron).

Cu-Be Beryllium copper
Al-Bron Aluminium bronze

1" STANDARD MM 6PT



COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
75772		75773		22			330
75774		75775		24			340
75776		75777		25			350
75778		75779		26	55		360
75780		75781		27			370
75782		75783		28			400
75784		75785		29			410
75786		75787		30			440
75788		75789		31			450
75790		75791		32			460
75792		75793		34	60		500
75794		75795		36			600
75796		75797		38			700
70353	Cu-Be	71250	Al-Bron	41		6	800
70354		71251		42	65		1000
70355		71252		46			1100
70356		71253		50	70		1400
70357		71254		55			1500
70358		71255		60	75		2000
70359		71256		65			2200
70360		71257		70	80		4600
70361		71258		75			4800
70362		71259		80	85		4900
70363		71260		85			5000
70364		71261		90			5200
70365		71262		95	90		
70366		71263		100			
70367		71264		105	95		

1" STANDARD MM 12PT



COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
75828		75829		22			330
75830		75831		24			340
75832		75833		25			350
75834		75835		26	55		360
75836		75837		27			370
75838		75839		28			400
75840		75841		29			410
75842		75843		30			440
75844		75845		31			450
75846		75847		32	60		460
75848		75849		34			500
75850		75851		36			600
75852		75853		38			700
74578	Cu-Be	74593	Al-Bron	41		12	800
74579		74594		42	65		1000
74580		74595		46			1100
74581		74596		50	70		1400
74582		74597		55			1500
74583		74598		60	75		2000
74584		74599		65			2200
74585		74600		70	80		4600
74586		74601		75			4800
74587		74602		80	85		4900
74588		74603		85			5000
74589		74604		90			5200
74590		74605		95	90		
74591		74606		100			
74592		74607		105	95		

1" STANDARD INCH. 6PT



COD.	MAT.	COD.	MAT.		L (mm)	Pt		
75798	Cu-Be	75799	Al-Bron	1.1/16	55	6	360	
75800		75801		1.1/8			400	
75802		75803		1.3/16			430	
75804		75805		1.1/4	60		440	
75806		75807		1.5/16			460	
75808		75809		1.3/8			500	
75810		75811		1.7/16	550			
75812		75813		1.1/2	65		700	
75814		75815		1.5/8			800	
77828		77829		1.13/16			70	850
75816		75817		1.7/8	1000			
75818		75819		2	75			1250
77830		77831		2.1/8			80	1400
75820		75821		2.1/4				1500
77832		77833		2.3/8	80			2300
75822		75823		2.1/2			80	2300
77834		77835		2.9/16				80
75824		75825		2.3/4	80			
77836		77837		2.15/16			80	
75826		75827		3				80
77838		77839		3.1/8	80			

1" STANDARD INCH. 12PT



COD.	MAT.	COD.	MAT.		L (mm)	Pt	
75854	Cu-Be	75855	Al-Bron	1.1/16	55		360
75856		75857		1.1/8			
75858		75859		1.3/16			
75860		75861		1.1/4	430		
75862		75863		1.5/16	65	440	
75864		75865		1.3/8		12	460
75866		75867		1.7/16			500
75868		75869		1.1/2	550		
75870		75871		1.5/8	70	700	
77840		77841		1.13/16		75	800
75872		75873		1.7/8			850
75874		75875		2	1000		
77842		77843		2.1/8	80	1250	
75876		75877		2.1/4		80	1400
77844		77845		2.3/8			1500
75878		75879		2.1/2	80		2300
77846		77847		2.9/16		80	
75880		75881		2.3/4			
77848		77849		2.15/16	80		
75882		75883		3		80	
77850		77851		3.1/8			

1" LONG SOCKETS MM 6PT



COD.	MAT.	COD.	MAT.		L (mm)	Pt	
35370	Cu-Be	35371	Al-Bron	22	100	800	6
35372		24					
35374		25					
35376		26					
35378		27					
35380		28					
35382		29					
35384		30					
35386		31					
35388		32					
35390		34		850			
35392		36		900			
35394		38		950			
35396		41		1000			
35398		42		1050			
35400		46		115	1250		
35402		50		1450			
35404		55		125	1750		

1" LONG SOCKETS MM 12PT



COD.	MAT.	COD.	MAT.		L (mm)	Pt	
35468	Cu-Be	35469	Al-Bron	22	100	800	
35470		24					
35472		25					
35474		26					
35476		27					
35478		28					
35480		29					
35482		30					
35484		31					
35486		32					
35488		34		12			
35490		36		850			
35492		38		900			
35494		41		950			
35496		42		1000			
35498		46		1050			
35500		50		115	1250		
35502		55		125	1450		
							1750

Cu-Be Beryllium copper
Al-Bron Aluminium bronze

COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
35406	Cu-Be	35407	Al-Bron	60	125	6	2100
35408		35409		65	135		2600
35410		35411		70			3050
35412		35413		75			3850
35414		35415		80			4300
35416		35417		85			4600
35418		35419		90	140		4900
35420		35421		95			5300
35422		35423		100			5750
35424		35425		105			6200

COD.	MAT.	COD.	MAT.	AF mm	L (mm)	Pt	g
35504	Cu-Be	35505	Al-Bron	60	125	12	2100
35506		35507		65	135		2600
35508		35509		70			3050
35510		35511		75			3850
35512		35513		80			4300
35514		35515		85			4600
35516		35517		90	140		4900
35518		35519		95			5300
35520		35521		100			5750
35522		35523		105			6200

1" LONG SOCKETS INCH. 6PT



COD.	MAT.	COD.	MAT.		L (mm)	Pt	
35426	Cu-Be	35427	Al-Bron	1.1/16	100	6	800
35428		35429		1.1/8			
35430		35431		1.3/16			
35432		35433		1.1/4			
35434		35435		1.5/16			
35436		35437		1.3/8			850
35438		35439		1.7/16			900
35440		35441		1.1/2			950
35442		35443		1.5/8			1000
35444		35445		1.13/16			1250
35446		35447		1.7/8	115		1300
35448		35449		2			1450
35450		35451		2.1/8	125		1650
35452		35453		2.1/4			1800
35454		35455		2.3/8			2100
35456		35457		2.1/2			2300
35458		35459		2.9/16	135		2600
35460		35461		2.3/4			3050
35462		35463		2.15/16	140		3850
35464		35465		3			4000
35466		35467		3.1/8			4300

1" LONG SOCKETS INCH. 12PT




COD.	MAT.	COD.	MAT.		L (mm)	Pt	
35524	Cu-Be	35525	Al-Bron	1.1/16	100	12	800
35526		35527		1.1/8			
35528		35529		1.3/16			
35530		35531		1.1/4			
35532		35533		1.5/16			
35534		35535		1.3/8			850
35536		35537		1.7/16			900
35538		35539		1.1/2			950
35540		35541		1.5/8			1000
35542		35543		1.13/16			1250
35544		35545		1.7/8	115		1300
35546		35547		2	1450		
35548		35549		2.1/8	125		1650
35550		35551		2.1/4			1800
35552		35553		2.3/8			2100
35554		35555		2.1/2			2300
35556		35557		2.9/16	135		2600
35558		35559		2.3/4	3050		
35560		35561		2.15/16	140		3850
35562		35563		3			4000
35564		35565		3.1/8			4300

REVERSIBLE RATCHET HANDLE

COD.	MAT.	COD.	MAT.		L (mm)	
72630	Cu-Be	72629	Al-Bron	1	550	1600



RATCHET HEAD



COD.	MAT.	COD.	MAT.		L (mm)		
73714	Cu-Be	73715	Al-Bron	1	180	23	3000



MALE-FEMALE RATCHET

COD.	MAT.	COD.	MAT.		L (mm)	
73728	Cu-Be	73729	Al-Bron	1	300	1000



SLIDING "T" HANDLE

COD.	MAT.	COD.	MAT.		L (inch)	
70382	Cu-Be	71278	Al-Bron	1	12	2300



LONG SLIDING "T" HANDLE

COD.	MAT.	COD.	MAT.		L (mm)	H (mm)	
73719	Cu-Be	73720	Al-Bron	1	400	190	2400



EXTENSION

COD.	MAT.	COD.	MAT.		L (inch)	
70389	Cu-Be	71285	Al-Bron	1	4	400
70390		71286			10	800



ADAPTER

COD.	MAT.	COD.	MAT.			
70370	Cu-Be	71267	Al-Bron	1-3/4		600



UNIVERSAL JOINT

COD.	MAT.	COD.	MAT.	AF $\frac{\text{inch}}{\text{mm}}$	L (mm)	g
70374	Cu-Be	71271	Al-Bron	1	145	1300



FLEXIBLE JOINT

COD.	MAT.	COD.	MAT.	AF $\frac{\text{inch}}{\text{mm}}$	L (mm)	I.D. mm	g
72398	Cu-Be	72399	Al-Bron	1	120	21	1100



SWIVEL HANDLE

COD.	MAT.	COD.	MAT.	AF $\frac{\text{inch}}{\text{mm}}$	L (mm)	g
72408	Cu-Be	72409	Al-Bron	1	315	850



OFFSET HANDLE

COD.	MAT.	COD.	MAT.	AF $\frac{\text{inch}}{\text{mm}}$	L (mm)	g
72414	Cu-Be	72415	Al-Bron	1	300	1100



SETS

COD.	MAT.	AF $\frac{\text{inch}}{\text{mm}}$	PCS.	COD. PCS.	AF $\frac{\text{inch}}{\text{mm}}$	AF $\frac{\text{inch}}{\text{mm}}$	Kg
74279	Cu-Be	1	18	74541, 75748, 74542, 75750, 74543, 75752, 74544, 74545, 74546, 77822, 77824	30-31-32-34-36-38-41-46-50-55-60-65-70-75-80	-	18
35818				75766, 75768, 75770, 74557, 74558, 74559, 74561, 74564, 74566	-	1.1/8"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"-2.1/4"-2.3/8"-2.9/16"-2.3/4"-2.15/16"-3.1/8"	



TECHNICAL SPECIFICATION

Flexible joint	120 mm (72396)
Extension	200 mm (70387)
Sliding T handle	400 mm

COD.	MAT.	AF $\frac{\text{inch}}{\text{mm}}$	PCS.	COD. PCS.	AF $\frac{\text{inch}}{\text{mm}}$	AF $\frac{\text{inch}}{\text{mm}}$	Kg
74280	Al-Bron	1	18	74550, 75749, 74551, 75751, 74552, 75753, 74553, 74554, 74555, 77823, 77825	30-31-32-34-36-38-41-46-50-55-60-65-70-75-80	-	18
35827				75767, 75769, 75771, 74568, 74569, 74570, 74572, 74575, 74577	-	1.1/8"-1.3/16"-1.1/4"-1.3/8"-1.7/16"-1.1/2"-1.5/8"-1.13/16"-2"-2.1/4"-2.3/8"-2.9/16"-2.3/4"-2.15/16"-3.1/8"	

TECHNICAL SPECIFICATION

Flexible joint	120 mm (72397)
Extension	200 mm (71283)
Sliding T handle	400 mm

Cu-Be Beryllium copper
Al-Bron Aluminium bronze