

MECHANIC HAND TOOLS

STAMP

STAMP (เหล็กตอก)

Machine Made - Letter	P.324
Machine Made - Figure	P.324
Machine Made - Combination Letter & Figure	P.324
Reversed - Letter	P.324
Reversed - Figure	P.325
Reversed - Combination Letter & Figure	P.325
Round Face - Full Character - Letter	P.325
Round Face - Full Character - Figure	P.325
Round Face - Full Character - Combination	P.325
Letter Steel Stamps	P.326
Number Steel Stamps	P.326
Reversed Letter Steel Stamps	P.327
Reversed Number Steel Stamps	P.327

STAMP

เหล็กตอก

Young Bros.
Stamp Works Inc.

STAMP
เหล็กตอก

เหล็กตอกตัวอักษร

MACHINE MADE - Letter Set (27 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
01271	1/16	1-1/2	1/4	2-3/8
02271	3/32	1-1/2	1/4	2-3/8
03271	1/8	1-1/2	1/4	2-3/8
05271	3/16	2	5/16	2-7/16
06271	1/4	3	3/8	2-5/8
07271	5/16	4-1/2	7/16	2-7/8
08271	3/8	6	1/2	2-7/8
09271	1/2	10-3/4	5/8	3-3/8

เหล็กตอกตัวเลข

MACHINE MADE - Figure Set (9 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
01091	1/16	1/2	1/4	2-3/8
02091	3/32	1/2	1/4	2-3/8
03091	1/8	1/2	1/4	2-3/8
05091	3/16	3/4	5/16	2-7/16
06091	1/4	1	3/8	2-5/8
07091	5/16	1-1/2	7/16	2-7/8
08091	3/8	2	1/2	2-7/8
09091	1/2	4-3/4	5/8	3-3/8

เหล็กตอกตัวเลข-ตัวอักษร

MACHINE MADE - Combination Letter & Figure Set (36 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
01361	1/16	2	1/4	2-3/8
02361	3/32	2	1/4	2-3/8
03361	1/8	2	1/4	2-3/8
05361	3/16	3	5/16	2-7/16
06361	1/4	4	3/8	2-5/8
07361	5/16	6	7/16	2-7/8
08361	3/8	8-1/4	1/2	2-7/8
09361	1/2	14-1/2	5/8	3-3/8

เหล็กตอกตัวกลับตัวอักษร

REVERSED - Letter Set (27 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
00274	1/32	1-1/2	1/4	2-3/8
01274	1/16	1-1/2	1/4	2-3/8
02274	3/32	2-1/4	5/16	2-1/2
03274	1/8	2-1/4	5/16	2-1/2
04274	5/32	3	3/8	2-3/4
05274	3/16	3	3/8	2-3/4
06274	1/4	4-1/2	7/16	3
07274	5/16	6	1/2	3
08274	3/8	8	9/16	3-1/8
09274	1/2	10-3/4	5/8	3-1/8

เหล็กตอกตัวกลับตัวเลข

REVERSED - Figure Set (9 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
00094	1/32	1/2	1/4	2-3/8
01094	1/16	1/2	1/4	2-3/8
02094	3/32	3/4	5/16	2-1/2
03094	1/8	3/4	5/16	2-1/2
04094	5/32	1	3/8	2-3/4
05094	3/16	1	3/8	2-3/4
06094	1/4	1-1/2	7/16	3
07094	5/16	2	1/2	3
08094	3/8	2-1/2	9/16	3-1/8
09094	1/2	4-3/4	5/8	3-1/8

Punches / Scrubbers

เหล็กตอก / เหล็กมาร์ค / เหล็กขีด

Hammers

ค้อน

Pipe & Plumbing

Tools

เครื่องมือสำหรับงานท่อ

Cutting

เครื่องมือตัด

Construction

เครื่องมือสำหรับงานก่อสร้าง

Level

ระดับน้ำ

Grease Gun

กระบอกอัดจารบี

Roller & Jack

ล้อเลื่อนย้าย, แม่แรง

Stamp

เหล็กตอก

Files

ตะไบ

เหล็กตอกตัวกลับตัวเลข - ตัวอักษร

REVERSED - Combination Letter & Figure Set (36 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
00364	1/32	2	1/4	2-3/8
01364	1/16	2	1/4	2-3/8
02364	3/32	3	5/16	2-1/2
03364	1/8	3	5/16	2-1/2
04364	5/32	4	3/8	2-3/4
05364	3/16	4	3/8	2-3/4
06364	1/4	6	7/16	3
07364	5/16	8	1/2	3
08364	3/8	11	9/16	3-1/8
09364	1/2	15	5/8	3-1/8

เหล็กตอกตัวอักษร

ROUND FACE - FULL CHARACTER - Letter Set (27 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
03275	1/8	2-1/4	5/16	2-1/2
05275	3/16	3	3/8	2-3/4
06275	1/4	4-1/2	7/16	3
07275	5/16	6	1/2	3
08275	3/8	8	9/16	3-1/8
09275	1/2	18-1/2	3/4	3-3/4

เหล็กตอกตัวเลข

ROUND FACE - FULL CHARACTER - Figure Set (9 Characters)



Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
03095	1/8	3/4	5/16	2-1/2
05095	3/16	1	3/8	2-3/4
06095	1/4	1-1/2	7/16	3
07095	5/16	2	1/2	3
08095	3/8	2-1/2	9/16	3-1/8
09095	1/2	6-3/4	3/4	3-3/4

เหล็กตอกตัวเลข-ตัวอักษร

ROUND FACE - FULL CHARACTER - COMBINATION (36 Characters)




Order No.	Size inch	Wt. Lbs.	Size of Steel	
			Sq.	Length
03365	1/8	3	5/16	2-1/2
05365	3/16	4	3/8	2-3/4
06365	1/4	6	7/16	3
07365	5/16	8	1/2	3
08365	3/8	10-1/2	9/16	3-1/8
09365	1/2	23	3/4	3-3/4



เหล็กตอกตัวอักษร

LETTER STEEL STAMPS (YC-601)



Punches / Scribes

เหล็กตอก / เหล็กมาร์ค / เหล็กขีด

Hammers

ค้อน

Pipe & Plumbing

Tools

เครื่องมือสำหรับงานท่อ

Cutting

เครื่องมือตัด

Construction

เครื่องมือสำหรับงานก่อสร้าง

Level

ระดับน้ำ

Grease Gun

กระบอกฉีดจารบี

Roller & Jack

ล้อเลื่อนย้าย, แม่แรง

Stamp

เหล็กตอก


Files

ตะไบ

* Blow Mold Case (BMC)

เหล็กตอกตัวเลข

NUMBER STEEL STAMPS (YC-602)



Order No.	Character Size (C)	Shank Size Square (A)	Shank Size Length (±0.4) (B)
YC602-1	1.0mm (3/64")	6.35mm	62mm
YC602-1.5	1.5mm (1/16")	6.35mm	62mm
YC602-2	2.0mm (5/64")	6.35mm	61mm
YC602-2.5	2.5mm (3/32")	6.35mm	61mm
YC602-3	3.0mm (1/8")	6.35mm	60mm
YC602-4	4.0mm (5/32")	6.35mm	60mm
YC602-5	5.0mm (3/16")	7.93mm	61mm
YC602S-6	6.0mm (1/4")	7.93mm	60mm
YC602-6	6.0mm (1/4")	9.52mm	67mm
YC602-7	7.0mm (9/32")	11.11mm	68mm
YC602S-8	8.0mm (5/16")	11.11mm	67mm
YC602-8	8.0mm (5/16")	12.70mm	70mm
YC602-10	10.0mm (3/8")	12.70mm	71mm
YC602-12	12.0mm (1/2")	15.85mm	83mm
YC602-16*	16.0mm (5/8")	15.85mm	95mm
YC602-19*	19.0mm (3/4")	19.05mm	98mm

* Blow Mold Case (BMC)

Feature


- Alphabet steel stamp set : 27 pieces includes A-Z, symbol &
- Surface treatment : Sandblasting.
- Hardness: Front End Font HRC 58~62 Degrees.
- Tail End Tempering HRC 38~46 Degrees
- Maked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).

Feature

- Number steel stamp set : 9 pieces includes 0-8
- (6 is used as 9 when upside-down)
- Surface treatment : Sandblasting.
- Hardness: Front End Font HRC 58~62 Degrees.
- Tail End Tempering HRC 38~46 Degrees
- Maked with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).

เหล็กตอกตัวกลับตัวอักษร

REVERSED LETTER STEEL STAMPS (YC-605)



Order No.	Character Size	Shank Size Square	Shank Size Length (±0.4)
YC605-1	1.0mm (3/64")	6.35mm	62mm
YC605-1.5	1.5mm (1/16")	6.35mm	62mm
YC605-2	2.0mm (5/64")	6.35mm	61mm
YC605-2.5	2.5mm (3/32")	6.35mm	61mm
YC605-3	3.0mm (1/8")	6.35mm	60mm
YC605-4	4.0mm (5/32")	7.93mm	62mm
YC605-5	5.0mm (3/16")	7.93mm	61mm
YC605-6	6.0mm (1/4")	9.52mm	67mm
YC605-8	8.0mm (5/16")	12.70mm	70mm
YC605-10	10.0mm (3/8")	12.70mm	71mm
YC605-12	12.0mm (1/2")	15.85mm	83mm

Feature

- Reversed alphabet steel stamp set : 27 pieces includes A-Z, symbol &
- Surface treatment : Sandblasting.
- Hardness: Front End Font HRC 58~62 Degrees.
Tail End Tempering HRC 38~46 Degrees
- Made with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).

Punches / Scribes

เหล็กตอก / เหล็กมาร์ค / เหล็กขีด

Hammers

ค้อน

Pipe & Plumbing

Tools

เครื่องมือสำหรับงานท่อ

Cutting

เครื่องมือตัด

Construction

เครื่องมือสำหรับงานก่อสร้าง

Level

ระดับน้ำ

Grease Gun

กระบอกอัดจารบี

Roller & Jack

ล้อเลื่อนย้าย, แม่แรง

Stamp


เหล็กตอก

Files

ระบ

เหล็กตอกตัวกลับตัวเลข

REVERSED NUMBER STEEL STAMPS (YC-606)



Order No.	Character Size	Shank Size Square	Shank Size Length (±0.4)
YC606-1	1.0mm (3/64")	6.35mm	62mm
YC606-1.5	1.5mm (1/16")	6.35mm	62mm
YC606-2	2.0mm (5/64")	6.35mm	61mm
YC606-2.5	2.5mm (3/32")	6.35mm	61mm
YC606-3	3.0mm (1/8")	6.35mm	60mm
YC606-4	4.0mm (5/32")	7.93mm	62mm
YC606-5	5.0mm (3/16")	7.93mm	61mm
YC606-6	6.0mm (1/4")	9.52mm	67mm
YC606-8	8.0mm (5/16")	12.70mm	70mm
YC606-10	10.0mm (3/8")	12.70mm	71mm
YC606-12	12.0mm (1/2")	15.85mm	83mm

Feature

- Reversed number steel stamp set : 9 pieces includes 0-8 (6 is used as 9 when upside-down)
- Surface treatment : Sandblasting.
- Hardness: Front End Font HRC 58~62 Degrees.
Tail End Tempering HRC 38~46 Degrees
- Made with character and size on the thumb side.
- Each stamp is double-beveled face for easy sighting.
- Each set packed in a PP plastic case.
- Material: CR-V (6150).

Perfect horizontal
alignment to the workpiece

Visible window for
easy positioning.

Multifunctional Storage Case

- Easy falling stamp Perfect Punching Vertical.
- Stamping with the case, work efficiency and safety.
- No directional restrictions, 360-degree transformation according to user habits.

