

MECHANIC HAND TOOLS

INSPECTION MIRROR

INSPECTION MIRROR (กระจกส่องเครื่อง)

Telescoping Inspection Mirror	P.418
Inspection Mirror	P.418
Inspection Magnification Mirror with Telescoping	P.418
Inspection Mirror with Light (M Type)	P.419
Inspection Mirror with Light (L Type)	P.419
Inspection Mirror with LED Light	P.419
Flexible Light with Magnet	P.420



INSPECTION MIRROR

กระจกส่องเครื่อง



กระจกส่องเครื่อง

TELESCOPING INSPECTION MIRROR



USE :

- Inspection of hard-to-see locations

MATERIAL :

- Body: Brass
- (IMT-60LR, IMT-80LK: Stainless steel)

Mirror: Glass


FEATURES

- Extendable reach and easy to carry
- Replacement mirror also sold separately
- With mirror protective film

Order No.	Model No.	Mirror Shape (mm)	A: Maximum Length (mm)	B: Telescope Length (mm)	C (mm)	Dimensions	Weight
IMT-20R	011140	Round Ø20	Approx. 525			①	40g
IMT-30R	011150	Round Ø30	Approx. 535	Approx. 130~475	10	①	40g
IMT-50K	011170	Oval 50 x 25	Approx. 555			①	45g
IMT-60K	011160	Round 60	Approx. 560	Approx. 145~475	9	①	63g
IMT-85S	011185	Square 100 x 85	Approx. 745			①	200g
IMT-100S	011186	Square 100 x 100	Approx. 745	Approx. 245~610	13	①	200g
IMT-100R	011187	Round Ø100	Approx. 745			①	200g
IMT-80LK	011181	Oval 80 x 50	Approx. 945	Approx. 160~840	14	②	100g
IMT-60LR	011161	Round Ø60	Approx. 925			②	100g

กระจกส่องเครื่อง

INSPECTION MIRROR



USE :

- For inspection in hard-to-see location

MATERIAL :

- Body: Steel
- Mirror: Glass


FEATURES

- Mirror firmly held for easy inspection
- With mirror protective film

Order No.	Model No.	Mirror Shape (mm)	A (mm)	B (mm)	Weight
IM-20R	011120	Round Ø20	Approx. 200		30g
IM-30R	011130	Round Ø30	Approx. 210	Approx. 145	35g
IM-50K	011110	Oval 50 x 25	Approx. 230		35g

กระจกส่องเครื่อง

INSPECTION MAGNIFICATION MIRROR WITH TELESCOPING



USE :

- For inspection in hard-to-see location

MATERIAL :

- Body: Brass
- Mirror: Glass

FEATURES

- Extendable reach and easy to carry
- Mirror magnifies objects for better visibility
- With mirror protective film

Order No.	Model No.	Mirror Shape (mm)	A: Maximum Length (mm)	B: Telescope Length (mm)	Magnification	Weight
IMTR-20R	011195	Round Ø20	Approx. 525	Approx. 130~475	2	40g
IMTR-30R	011196	Round Ø30	Approx. 535		2	40g
IMTR-60R	011197	Round Ø60	Approx. 560	Approx. 145~475	1.5	60g
IMTR-50K	011198	Oval 50 x 25	Approx. 555	Approx. 130~475	2	45g
IMTR-80K	011199	Oval 80 x 50	Approx. 575	Approx. 145~475	1.5	60g

INSPECTION MIRROR


กระจกส่องเครื่อง

SC Kingda Seiki

INSPECTION MIRROR
กระจกส่องเครื่อง

กระจกส่องเครื่องมีไฟ

INSPECTION MIRROR WITH LIGHT(M TYPE)



USE :

- For inspection, repair and check-up in poorly lit areas

MATERIAL :

- Flexible stem can be bent to any angle
- Mirror can be removed for use as flexible light
- LED bulb model is also available for stronger luminosity (LFM-M-LED)
- With mirror protective film

POWER

- Two AA batteries included for testing

LED 3V BULB

Order No.	Model No.
E10LED	011109

Electric Grinder

เครื่องเจียร

Rubber Polishing

เครื่องมือขัดยาง

Drian Cleaning

อุปกรณ์สำหรับทำความสะอาด

1000V

1000 โวลต์

Inspection Mirror

กระจกส่องเครื่อง

Power Tools


เครื่องมือไฟฟ้า

Drills, Taps & Tap

ดอกสว่าน, ดอกต๊าป และต๊าป

กระจกส่องเครื่องมีไฟ

INSPECTION MIRROR WITH LIGHT(L TYPE)



USE :

- For inspection, repair and check-up in poorly lit areas

MATERIAL :

- Brass (Silver finished)

FEATURES :

- Telescoping stalk and flexible stem can be bent to any angle
- LED bulb model, same luminosity as krypton bulb with eight times longer life-time, is also available
- With mirror protective film

POWER

- Two AA batteries included for testing


LED 3V BULB

Order No.	Model No.
E10LED	011109

Order No.	Model No.	Mirror Shape (mm)	Bulb Type	Weight
LMF-L-LED	011108	Round Ø 100	LED 3V bulb/ E10LED (3V 90mA)	420g

กระจกส่องเครื่องมีไฟ

INSPECTION MIRROR WITH LED LIGHT



USE :

- Inspection around and behind obstacles and in poorly lit areas

MATERIAL :

- Stalk: Stainless steel
- Grip: Brass (Silver finish)

FEATURES :

- LED light for high visibility
- Inspection mirror: 2 pcs (Ø20mm, Ø30mm)
- With mirror protective film

POWER

- Two AA batteries included for testing

Order No.	Model No.	Operating Temperature	Luminance	Weight
LM-340	011105	-10 ~40℃	10000mcd	126g


INSPECTION MIRROR

กระจกส่องเครื่อง



กระจกส่องเครื่องมือไฟ

FLEXIBLE LIGHT WITH MAGNET



USE :

- Locate and pick up small fasteners, temporary lighting for test, maintenance

MATERIAL :

- Flexible stem: Stainless steel

FEATURES :

- With attached inspection mirror (Ø38mm)
- LED for long usage life
- Adheres to steel surfaces for hand free operation
- Flexible stem conforms to any shape
- Magnet can also be used as pick-up tool
- Tip diameter: Approx. 9mm

POWER

- Three LR44 (alkaline button cell) included for testing

Order No.	Model No.	Continuous Lighting	Magnetic force : approx. 600N	Weight
MFL-350M	011092	Approx. 12 hours	Tip 0.5N Bottom 10N	150g

Electric Grinder

เครื่องเจียร

Rubber Polishing

เครื่องมือยางขัด

Drian Cleaning

อุปกรณ์สำหรับท่อระบายน้ำ

1000V

1000 โวลท์

Inspection Mirror

กระจกส่องเครื่อง

Power Tools

เครื่องมือไฟฟ้า

Drills, Taps & Tap

ดอกสว่าน, ดอกต๊าป และค้าย